


UN-WANTED

DEAD OR ALIVE

Scentless Chamomile

(alias SCENTLESS MAYWEED)



WHAT IS IT?

It is an annual or short lived perennial weed that resembles a daisy, and one plant is capable of producing 300,000 seeds.

WHERE DO YOU FIND IT?

Ditches	Fields
Farmyards	Back Alleys
Gardens	Boulevards
Pasture	Parks

WHY BE CONCERNED?

It is a very serious weed of pasture and cropland.

WHAT CAN YOU DO?

Keep a lookout for SCENTLESS CHAMOMILE. If you find any plants, pull them up by the roots and burn them.

1 The following plants are designated as prohibited noxious weeds in Alberta:

- autumn olive — *Elaeagnus umbellata* Thunberg
- X balsam, Himalayan — *Impatiens glandulifera* Royle
- barberry, common — *Berberis vulgaris* L.
- bartsia, red — *Odontites vernus* (Bellardi) Dumortier ssp. *serotinus* (Dumortier) Corbière
- buckthorn, common — *Rhamnus cathartica* L.
- cinquefoil, sulphur — *Potentilla recta* L.
- crupina, common — *Crupina vulgaris* Persoon ex Cassini
- dyer's woad — *Isatis tinctoria* L.
- Eurasian water milfoil — *Myriophyllum spicatum* L.
- flowering rush — *Butomus umbellatus* L.
- garlic mustard — *Alliaria petiolata* (M. Bieberstein) Cavara & Grande
- goatgrass, jointed — *Aegilops cylindrica* Host
- hawkweed, meadow — *Hieracium caespitosum* Dumortier
- hawkweed, mouse-ear — *Hieracium pilosella* L.
- X hawkweed, orange — *Hieracium aurantiacum* L.
- hoary alyssum — *Berteroa incana* (L.) DC.
- hogweed, giant — *Heracleum mantegazzianum* Sommier & Levier
- iris, pale yellow — *Iris pseudacorus* L.
- knapweed, bighead — *Centaurea macrocephala* Puschkarew ex Willdenow
- knapweed, black — *Centaurea nigra* L.
- knapweed, brown — *Centaurea jacea* L.
- knapweed, diffuse — *Centaurea diffusa* Lamarck
- knapweed, hybrid — *Centaurea* × *psammogena* Gáyer
- knapweed, meadow — *Centaurea* × *moncktonii* C. E. Britton
- knapweed, Russian — *Acroptilon repens* (L.) DC.
- knapweed, spotted — *Centaurea stoebe* L. ssp. *micranthos* (Gugler) Hayek
- knapweed, squarrose — *Centaurea virgata* Lam. ssp. *squarrosa* (Boissier) Gugler
- knapweed, Tyrol — *Centaurea nigrescens* Willdenow
- knotweed, giant — *Fallopia sachalinensis* (F. Schmidt) Ronse Decraene
- knotweed, hybrid Japanese — *Fallopia* × *bohemica* (Chrték & Chrtková) J. P. Bailey
- knotweed, Japanese — *Fallopia japonica* (Houttuyn) Ronse Decraene
- loosestrife, purple — *Lythrum salicaria* L.
- medusahead — *Taeniatherum caput-medusae* (L.) Nevski
- nutsedge, yellow — *Cyperus esculentus* L.
- puncturevine — *Tribulus terrestris* L.
- ragwort, tansy — *Senecio jacobaea* L.
- rush skeletonweed — *Chondrilla juncea* L.
- saltcedar — *Tamarix ramosissima* Ledebour
- saltlover — *Halogeton glomeratus* (M. Bieberstein) C.A. Mey.
- St John's-wort, common — *Hypericum perforatum* L.
- starthistle, yellow — *Centaurea solstitialis* L.
- tamarisk, Chinese — *Tamarix chinensis* de Loureiro
- tamarisk, smallflower — *Tamarix parviflora* DC.
- thistle, marsh — *Cirsium palustre* (L.) Scopoli
- thistle, nodding — *Carduus nutans* L.
- thistle, plumeless — *Carduus acanthoides* L.

2 The following plants are designated as noxious weeds in Alberta:

- baby's-breath, common — *Gypsophila paniculata* L.
- ✓bellflower, creeping — *Campanula rapunculoides* L.
- bindweed, field — *Convolvulus arvensis* L.
- blueweed — *Echium vulgare* L.
- brome, downy — *Bromus tectorum* L.
- brome, Japanese — *Bromus japonicus* L.
- burdock, great — *Arctium lappa* L.
- burdock, lesser — *Arctium minus* Bernh.
- burdock, woolly — *Arctium tomentosum* Miller
- buttercup, tall — *Ranunculus acris* L.
- ✗chamomile, scentless — *Tripleurospermum perforatum* (Mérat) M. Lainz
- clematis, yellow — *Clematis tangutica* (Maximowicz) Korshinsky
- cockle, white — *Silene latifolia* Poirét ssp. *alba* (Miller) Greuter & Burdet
- ✗daisy, oxeye — *Leucanthemum vulgare* Lamarck
- dame's rocket — *Hesperis matronalis* L.
- henbane, black — *Hyoscyamus niger* L.
- hoary cress, globe-podded — *Lepidium appelianum* Al-Shehbaz
- hoary cress, heart-podded — *Lepidium draba* L.
- hoary cress, lens-podded — *Lepidium chalepense* L.
- hound's-tongue — *Cynoglossum officinale* L.
- mullein, common — *Verbascum thapsus* L.
- pepper-grass, broad-leaved — *Lepidium latifolium* L.
- scabious, field — *Knautia arvensis* (L.) J.M. Coulter
- ✗sow thistle, perennial — *Sonchus arvensis* L.
- spurge, leafy — *Euphorbia esula* L.
- ✓tansy, common — *Tanacetum vulgare* L.
- ✗thistle, Canada — *Cirsium arvense* (L.) Scopoli
- ✓toadflax, Dalmatian — *Linaria dalmatica* (L.) Miller
- ✗toadflax, yellow — *Linaria vulgaris* Miller